

ARGO

49901L LA4
49903L LA5
49905L LA5
4919K LA6
4920K LA6
4921K LA7
4922DTK LA7
4922K LA7
4923DH..... LA8
4923K LA8
4924DTK LA9
4924K LA9
4925K LA10
4926DTK LA10
4926K LA11
4927K LA11
4928DTK LA12
4928K LA12
4929K LA13
4930DTK LA13
4930K LA13
4931K LA14
4932K LA14
4933K LA15
4934K LA15
4935K LA16
4936K LA16
4955L LA17
4956L LA17
4957L LA18
4958L LA18
4959L LA19
4960L LA19
49000 Series Dimensions LA20
4900 Series Dimensions LA21-23
Levers / Knobs LA24-25
Dummy Cylinder / Cylinder Collars LA26
Turn Pieces Plate / Knobs LA26-27
Turn Pieces Plate / Turn Knobs Dimension LA28
Finish..... LA29
Combination LA30-36
Mortise Locks / Rebated Kit LA37-39
Single Side Spindle For Mortise LA39
Mortise Locks Function LA40-41
How to Order LA42
Mortise Type of Cylinder LA43
Table of Cylinder Lengths LA44-46



49000 Series LA4-5 / 20




4900 Series LA6-19 / 21- 23



Levers / Knobs LA24-25




Dummy Cylinder / Cylinder Collars / Turn Pieces Plafe/ Turn Knobs LA26-28




Finish LA29



Combination LA30-36



Mortise Locks/ Rebated Kit/ Spindle LA37-39



Mortise Locks Function / How to Order LA40-42




Table of Cylinders lengths LA43-46

Numerous patents, copyrights, and trademarks are held by us to protect the integrity and reputation of our distinctive line of hardware appointments.
Manufacturer reserves all rights of any modification, materials and specifications without notice


49000 SERIES

Entrance Handle

Fully Concealed Type Fixing

Innovation Design

The **ARGO** team would like to introduce our patented approach to entrance handles. There are no screws on the surface, making your entrance sleek, clean and luxurious.



49901L PATENTED


F21




Outside Unit



Inside Unit



EURO Mortise Lock



ANSI Mortise Lock

49903L PATENTED

F102T



Inside Unit

Outside Unit

49905L PATENTED

F22



Inside Unit

Outside Unit

4900 SERIES

Entrance Handle

Classic Touch

We are pleased to introduce our classic mortise locks with a full range of exquisite handles to match all locks and brass accessories are manufactured with complete care to quality at every single step. We hope you enjoy browsing through our 4900 Series product line.

4919K

F311



Outside Unit

Inside Unit


4920K

F21




Outside Unit

Inside Unit



EURO Mortise Lock



ANSI Mortise Lock

4922DTK

F21



Outside Unit

Inside Unit

4921K

F16



Inside Unit

Outside Unit

4922K

F32



Inside Unit

Outside Unit

4900 SERIES

Entrance Handle

Finishing

The 4900 series of **ARGO** Entrance Handles are available in different finishes. These finishes were chosen to complement many, if not all, environments in which the piece is fitted.

4923DH

(This model used 4627-A3 mortise only) PATENTED

F22



Outside Unit

Inside Unit

4923K


F302




Outside Unit



Inside Unit



EURO Mortise Lock



ANSI Mortise Lock

4924DTK

F24



Outside Unit

Inside Unit

4924K

F16



Outside Unit

Inside Unit

4900 SERIES

Entrance Handle

Tarnish-Free PVD Finish

It is a great obstacle to be free of tarnishing for brass-made hardware. That is why **ARGO** built a private facility to provide the PVD treatment which gives you the trouble-free solution against tarnishing. Enjoy the most durable shine that embellish your doors.

4925K

F22



Outside Unit

Inside Unit


4926DTK

F21




Outside Unit

Inside Unit



EURO Mortise Lock



ANSI Mortise Lock

4926K

F97



Inside Unit

Outside Unit

4927K

F16



Inside Unit

Outside Unit

4900 SERIES

Entrance Handle

Dependability and security

The simple design and solid functionality provides a premium touch every time you open the door. Simplicity reduces errors. **ARGO** continuously optimizes and simplifies their products to be reliable and dependable. Enjoy the beauty along with the security of **ARGO** products for years to come.

4928DTK

F21



Outside Unit

Inside Unit


4928K

F16




Outside Unit

Inside Unit



EURO Mortise Lock



ANSI Mortise Lock

4930DTK

F31



Outside Unit

Inside Unit

4929K

F97T



Inside Unit

Outside Unit

4930K

F22



Inside Unit

Outside Unit

4900 SERIES

Entrance Handle

Diversity

Our design team synergizes ideas from different parts of the world to create pieces that are aesthetically pleasing to a diverse audience. Whether you seek slim, soft, or bold imageries, you can find a design suitable for your palate. Accent your entryway and give the deepest impression to your guests.

Connect Your Imagination

ARGO cross products contain the same flavor of finishes. This allows the quality entrance handles to match seamlessly with the wide range of **ARGO** products unifying your space.

4931K

F21



Inside Unit

Outside Unit


4932K

F101




Inside Unit

Outside Unit



EURO Mortise Lock



ANSI Mortise Lock

4933K

F99



Inside Unit

Outside Unit

4934K

F21



Inside Unit

Outside Unit

4900 SERIES

Entrance Handle

Flexibility

The **ARGO** 4900 series are thoughtfully interchangeable for both Euro Mortise and ANSI Mortise, fitting any kind of door set you may desire.

Varieties

The **ARGO** 4900 series have a vast array of combinations to suit your unique style.

4935K

F22



Inside Unit

Outside Unit


4936K

F307




Inside Unit

Outside Unit



EURO Mortise Lock



ANSI Mortise Lock

4955L

F305



Inside Unit

Outside Unit

4956L

F310



Inside Unit

Outside Unit

4900 SERIES

Entrance Handle

Flexibility

The **ARGO** 4900 series are thoughtfully interchangeable for both Euro Mortise and ANSI Mortise, fitting any kind of door set you may desire.

Varieties

The **ARGO** 4900 series have a vast array of combinations to suit your unique style.

4957L

F22



Inside Unit

Outside Unit


4958L

F96




Inside Unit

Outside Unit



EURO Mortise Lock



ANSI Mortise Lock

4959L

F91



Inside Unit

Outside Unit

4960L

F308



Inside Unit


Outside Unit


49000 SERIES

Dimensions in millimeters


Innovation Design

The **ARGO** team would like to introduce our patented approach to entrance handles. There are no screws on the surface, making your entrance sleek, clean and luxurious.






49901L




49903L




49905L

4900 SERIES


Dimensions in millimeters




4919K




4920K




4921K




4922DTK




4922K




4923DH




4923K




4924DTK



4924K




4925K




4926DTK

4900 SERIES


Dimensions in millimeters




4926K




4927K




4928DTK




4928K




4929K




4930DTK




4930K




4931K




4932K




4933K




4934K




4935K




4936K




4955L




4956L




4957L



4958L



4959L



4960L

Levers/Knobs

The following array of levers and knobs are interchangeable for all the trim designs.

SB201



SB202



SB203



SB204



SB205



SB206



SB207



SB208



SB209



SB210



SB211



SB212



SB213



SB214



SB215



SB216



SB217



SB219



SB220



SB221



SB222



SB223



SB225



SB226



SBK801



SBK802



SBK803



SBK804



SBK805



SBK806



Dummy Cylinder / Cylinder Collars

4681

Dummy Cylinder with
fixing back plate & screws




4682A / 4682B / 4682C


Cylinder Collars
Supplied with adjustable spring




4682-A 4682-B 4682-C



4682-A



4682-B



4682-C

Turn Pieces Plate/ Knobs

4680-A



4680-B



4680-C



4680-D



4680-E



4680-G



Turn Pieces

Plates and knobs

Sample Combinations



4680-1A



4680-4D



4680-5C



4680-6E



4680-7G

4680-1



4680-2



4680-3



4680-4



4680-5



4680-6



4680-7



4680-8



4680-9




4680-10




Turn Knobs


Dimensions
in millimeters




4680-1




4680-2




4680-3




4680-4




4680-5




4680-6




4680-7



4680-8




4680-9




4680-10

Turn Piece Plates


Dimensions
in millimeters




4680-A




4680-B




4680-C



4680-D









4680-E



4680-G

Combination

K Dummy	K	L	DH	DTK	DTL
					

K Dummy Entrance Handle with Dummy Cylinder & Knob
K Entrance Handle with Knob inside
L Entrance Handle with Lever inside
DH Double Entrance Handles
DTK Double Knobs with escutcheons
DTL Double Levers with escutcheons

4919

4919K Dummy



4919K



4919L



4919DH



4919DTK



4919DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

4920

4920K Dummy



4920K



4920L



4920DH



4920DTK



4920DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

Combination

4921

4921K Dummy



4921K



4921L



4921DH



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25

4922

4922K Dummy



4922K



4922L



4922DH



4922DTK



4922DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

4923

4923K Dummy



4923K



4923L



4923DH



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25

4924

4924K Dummy



4924K



4924L



4924DH



4924DTK



4924DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

Combination

4925

4925K Dummy



4925K



4925L



4925DH



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25

4926

4926K Dummy



4926K



4926L



4926DH



4926DTK



4926DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

4927

4927K Dummy



4927K



4927L



4927DH



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25

4928

4928K Dummy



4928K



4928L



4928DH



4928DTK



4928DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

4929

4929K Dummy



4929K



4929L



4929DH



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25

4930

4930K Dummy



4930K



4930L



4930DH



4930DTK



4930DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

4931

4931K Dummy



4931K



4931L



4931DH



4931DTK



4931DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

4932

4932K Dummy



4932K



4932L



4932DTK



4932DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

Combination

4933

4933K Dummy



4933K



4933L



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25

4934

4934K Dummy



4934K



4934L



4934DTK



4934DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

4935

4935K Dummy



4935K



4935L



4935DH



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25

4936

4936K Dummy



4936K



4936DH



4936L



4936DTK



4936DTL



K Dummy (Knob) : Select knobs from page LA25
K (Knob) : Select knobs from page LA25
L (Lever) : Select levers from page LA24~25
DTK (Knob) : Select knobs from page LA25
DTL (Lever) : Select levers from page LA24~25

4955

4955L Dummy



4955L



4955DH



L (Lever) : Select levers from page LA24~25

4956

4956L Dummy



4956L



4956DH



4956DTL



L (Lever) : Select levers from page LA24~25
DTL (Lever) : Select levers from page LA24~25

4957

4957L Dummy



4957L



4957DH



L (Lever) : Select levers from page LA24~25

4958

4958L Dummy



4958L



4958DH



4958DTL



L (Lever) : Select levers from page LA24~25
DTL (Lever) : Select levers from page LA24~25

Combination

4959

4959L Dummy



4959L



4959DH



L (Lever) : Select levers from page LA24~25

4960

4960L Dummy



4960L



4960DH



4960DTL



L (Lever) : Select levers from page LA24~25
DTL (Lever) : Select levers from page LA24~25

49901

49901L Dummy



49901L



L (Lever) : Select levers from page LA24~25

49903

49903L Dummy



49903L



L (Lever) : Select levers from page LA24~25

49905

49905L Dummy



49905L




L (Lever) : Select levers from page LA24~25


4627 ANSI Mortise Lock

ARGO classic mortise locks have been trustee conform to all performance standards for generations. The combination of a **ARGO** mortise lock, with a **ARGO** Entrance Handle brings beauty and security to your doors. Depending on the size of the trims and doors, you can choose from a 64mm, 70mm or 95mm backset.


4627-A1-64



4627-A1-70







4627-A1-95



For 50~60 Door Thickness (D/T) Lock Body : 22mm thick.


Rebated Kit - RK Series

Model	Photo	Use for	Example
RK-06	 **Dimension in mm** 	For 4627, 4627S, 4628, 4629 & 4630 Series (ANSI Mortise Lock)	

Model	Photo	Use for	Example
RK-24	 **Dimension in mm** 	For narrow strike plate version of 4627, 4627S Series (ANSI Mortise Lock with 28mm narrow strike plate)	

Narrow strike plates and armored fronts are also available for thinner door

Thinner Doors can utilize 4627-A1-**(28)**-64 or 70 and 95




For 34~45D/T

- 25mm throw solid brass dead bolt
- Saw-proof hardened steel pins in the dead bolt
- Anti-Friction latch bolt
- Anti-Panic release function (inside knob or lever can retract both dead bolt & latch bolt simultaneously)
- Split hubs are for Knob & Lever use
- 2.5mm Thick Strike Plate
- Backset : 64mm, 70mm, 95mm
- High grade steel security strike is supplied for all keyed lock functions in addition to regular strike
- Passed 500,000 cycle test


4667 EURO Mortise Lock

ARGO classic mortise locks have been trustee to confrom to all performance standards for generations. The combination of a **ARGO** mortise lock, with a **ARGO** Entrance Handle brings beauty and security to your doors. Depending on the size of the trims and doors, you can choose from a 60mm or 70mm backset.

4667-A1-60





4667-A1-70




For 45~55D/T Lock Body : 18mm thick.

Rebated Kit - RK Series

Narrow strike plates are also available for thinner door

Model	Photo	Use for	Example
RK-13	 **Dimension in mm** 	For 4626, 4626NS, 4650, 4653 & 4667 Series (EURO Mortise Lock)	

For Thinner Door




For 34~45D/T

- 25mm throw solid brass dead bolt
- Saw-proof hardened steel pins in the dead bolt
- Anti-Panic release function (inside knob or lever can retract both dead bolt & latch bolt simultaneously)
- Split hubs are available for Knob & Lever use
- 3mm Thick Strike Plate
- Backset : 60mm, 70mm
- Passed 200,000 cycle test

4627S ANSI Mortise Lock For Stainless Steel Dead Bolt & Latch

ARGO classic mortise locks have been trustee to conform to all performance standards for generations. The combination of a **ARGO** mortise lock, with a **ARGO** Entrance Handle brings beauty and security to your doors. The mortise lock of staninless steel dead bolt & latch is for 70mm backset only.


4627S-A1-70



For 50~60D/T Lock Body : 22mm thick.

Narrow strike plates and armored fronts are also available for thinner door

For Thinner Door
4627S-A1-**(28)**-70




For 34~45D/T

- 25mm throw stainless steel dead bolt
- Stainless steel latch bolt
- Anti-Panic release function (inside knob or lever can retract both dead bolt & latch bolt simultaneously)
- Split hubs are available for Knob & Lever use
- 2.5mm Thick Strike Plate
- Backset : only 70mm
- High grade steel security strike is supplied for all keyed lock functions in addition to regular strike
- Passed 500,000 cycle test

Single Side Spindle For Mortise


AM - 60 / 65 / 70 / 90
AL - 65 / 70 / 80

Latch bolt by knob (or lever) from single side.



AM - 60 / 65 / 70 / 90


Dimensions in mm



AM Spindle is for ANSI Mortise Lock :
4627 & 4627S Series

AL - 65 / 70 / 80

Dimensions in mm




AL Spindle is for EURO Mortise Lock :
4626 , 4626NS, 4650, 4653 & 4667 Series


ANSI Mortise Lock

Cylinders, Turn-pieces, Knobs, Levers, Handles are depicted for demonstration

4627-A1
Entrance ('K')
With Knob
Single Cylinder




4627-B1
Entrance ('L')
With Lever
Single Cylinder




Latch bolt by thumb-piece outside and knob (or lever) inside. If thumb-piece outside is locked by stopper button or projecting dead bolt, latch bolt by key outside and knob (or lever) inside. Dead bolt by key outside or turn-piece inside. Turning inside knob (or lever) retracts latch bolt and dead bolt simultaneously; leaving outside thumb-piece locked.

4628-A1
Entrance /
Apartment ('DTK')
With Knobs
Single Cylinder




4628-B1
Entrance /
Apartment ('DTL')
With Levers
Single Cylinder




Latch bolt by knob (or lever) from either side. If outside knob(or lever) is locked by stopper button or projecting dead bolt, latch bolt by key outside or knob (or lever) inside. Dead bolt by key outside or turn-piece inside. Turning inside knob (or lever) retracts latch bolt and dead bolt simultaneously. leaving outside knob (or lever) locked.

4627-A2
Entrance ('K')
With Knob
Double Cylinders




4627-B2
Entrance ('L')
With Lever
Double Cylinders




Latch bolt by thumb-piece outside and knob (or lever) inside. If thumb-piece outside is locked by stopper button or projecting dead bolt, latch bolt by key on either side and knob (or lever) inside. Dead bolt by key from either side. Turning inside knob (or lever) retracts latch bolt only; leaving outside thumb-piece locked.

4628-A2
Entrance /
Apartment ('DTK')
With Knobs
Double Cylinders




4628-B2
Entrance /
Apartment ('DTL')
With Levers
Double Cylinders




Latch bolt by knob (or lever) from either side. If outside knob (or lever) is locked by stopper button or projecting dead bolt, latch bolt and dead bolt by key from either side. Turning inside knob (or lever) retracts latch bolt only; leaving outside knob (or lever) locked.

4627-A3 PATENTED
Entrance ('DH')
With Double Handles
Single Cylinder




Latch bolt by thumb-piece from either side. If thumb-piece outside is locked by stopper button or projecting dead bolt, latch bolt by key outside or thumb-piece inside. Dead bolt by key outside or turn-piece inside. Thumb-piece inside retracts latch bolt and dead bolt simultaneously; leaving outside thumb-piece locked.

4629-A1
Single Cylinder,
with Knobs




4629-B1
Single Cylinder,
with Levers




Latch bolt by knob (or lever) from either side. Dead bolt by key from outside or by turn-piece from inside. Retract latch bolt by key from outside.

4627-A4
Entrance ('DH')
With Double Handles
Double Cylinders




Latch bolt by thumb-piece from either side. If thumb-peice outside is locked by stopper button or projecting dead bolt, latch bolt by key either side or thumb-piece inside. Dead bolt by key from either side. Thumb-piece inside retracts latch bolt only; leaving outside thumb-piece locked.

4629-A2
Double Cylinder,
with Knobs



4629-B2
Double Cylinder,
with Levers




Latch bolt by knob (or lever) from either side. Dead bolt by key from either side. Retract latch bolt by key.

ANSI Mortise Lock

Cylinders, Turn-pieces, Knobs, Levers, Handles are depicted for demonstration

4630-A1
Deadlock




inside outside

Four (4) major usages are available in conjunction with cylinder or turn-piece.

(see illustrations ---->)


Possible function for 4630-A1 Deadlock

Turn piece / Single Cylinder




inside outside

Double Cylinders




inside outside

Single Cylinder only




inside outside

Turn-piece only




inside outside

4631-A1
Passage for Knobs



inside outside

4631-B1
Passage for Levers




inside outside

Latch bolt by knob (or lever) from either side.

EURO Mortise Lock


Cylinders, Turn-pieces, Knobs, Levers, Handles are depicted for demonstration

4667-A1
Entrance ('K')
With Knob
Single Cylinder



inside outside


4667-B1
Entrance ('L')
With Lever
Single Cylinder



inside outside


Latch bolt by thumb-piece outside and knob (or lever) inside. If projecting dead bolt, latch bolt by key outside and knob (or lever) inside. Dead bolt by key outside or turn-piece inside. Turning inside knob (or lever) retracts latch bolt and dead bolt simultaneously.

4669-A1
Single Cylinder,
with Knobs




inside outside

4669-B1
Single Cylinder,
with Levers



inside outside

4670-A1
Deadlock




inside outside

Three (3) major usages are available in conjunction with cylinder or turn-piece.

(see illustrations ---->)


Possible function for 4670-A1 Deadlock

Turn piece / Single Cylinder




inside outside

Single Cylinder only




inside outside

Turn-piece only




inside outside

4671-A1
Passage for Knobs



inside outside




4671-B1
Passage for Levers









inside outside

Latch bolt by knob (or lever) from either side.

How to Order


EXAMPLE (1) : 4924K-SK-4627-A1-F16-70-RH-50DT (13 PIN THREE WAY KEY CYLINDER)						
Handle Design	Cylinder	Mortise Lock	Finish	Backset	Door Hand	Door Thickness
4924K	**SK**	**4627-A1**	**F16**	**70**	**RH**	**50**
	13 Pin Three Way Key Cylinder (With 5 Keys)		PVD Finish	70mm		50mm

EXAMPLE (2) : 4924DTL-SB206 -4628-B1-(28)-F21-70-LH-40DT (REGULAR 5-PIN CYLINDER)						
Handle Design	Cylinder	Mortise Lock	Finish	Backset	Door Hand	Door Thickness
4924DTL-SB206	**-**	**4628-B1-(28)**	**F21**	**70**	**LH**	**40**
	Regular 5 Pin Cylinder (With 3 Keys)		Bright Chrome	70mm		40mm


EXAMPLE (3) : 49001L-6P-4627S-A1-F21-RH-50DT (6-PIN CYLINDER)						
Handle Design	Cylinder	Mortise Lock	Finish	Backset	Door Hand	Door Thickness
49901L	**6P**	**4627S-A1**	**F21**	**70**	**RH**	**50**
	6 Pin Cylinder		Bright Chrome	70mm		50mm

Mortise Type Cylinders (Regular 5-Pin)
Mortise Type NS Cylinders (Regular 5-Pin)
Mortise Type 6P Cylinders (Regular 6-Pin
Mortise Type SK Cylinders (Three Way 13-Pin)


Regular Cylinders



Regular **NS** Cylinders



Regular **SK** Cylinders



No.	Length	No.	Length	No.	Length
CYL-D01-03	32mm	CYL-D01-07	40mm	CYL-D01-11	48mm
CYL-D01-04	34mm	CYL-D01-08	42mm	CYL-D01-12	50mm
CYL-D01-05	36mm	CYL-D01-09	44mm	CYL-D01-13	52mm
CYL-D01-06	38mm	CYL-D01-10	46mm	CYL-D01-14	54mm

Example
Mortise Type Cylinders




CYL-D01 regular 5-pin key cylinder	CYL-**NS**D01 regular 5-pin key with prevent drill bar cylinder	CYL-**6P**D01 regular 6-pin key cylinder	CYL-**SK**D01 13-pin three way key cylinder
			

Table of Single Cylinders

For 4627~4630 ANSI Mortise Lock

Door Thickness / Cylinder L-Size / Lock Model	32mm	34mm	36mm	38mm	40mm	42mm	44mm	46mm	48mm	50mm
	(CYL-D01-03)	(CYL-D01-04)	(CYL-D01-05)	(CYL-D01-06)	(CYL-D01-07)	(CYL-D01-08)	(CYL-D01-09)	(CYL-D01-10)	(CYL-D01-11)	(CYL-D01-12)
4919	37~51mm	41~55zmm	45~59mm	49~63mm	53~67mm	57~71mm				
4920	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4921	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4922	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4923	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4924	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4925	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4926	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4927	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4928	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm		
4929				29~43mm	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm
4930				29~43mm	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm
4931	27~41mm	31~45mm	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm	
4932	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm			
4933	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			
4934	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			
4935	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm			
4936	35~49mm	39~53mm	43~57mm	47~61mm	51~65mm	55~69mm	59~73mm			
4955	45~59mm	49~63mm	53~67mm	57~71mm						
4956	45~59mm	49~63mm	53~67mm	57~71mm						
4957	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4958	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4959	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
4960	38~52mm	42~56mm	46~60mm	50~64mm	54~68mm	58~72mm				
49901	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			
49903	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			
49905	33~47mm	37~51mm	41~55mm	45~59mm	49~63mm	53~67mm	57~71mm			

Table of Double Cylinders

For 4627~4630 ANSI Mortise Lock

Door Thickness / Cylinder L-Size / Lock Model	32mm x2nos (CYL-D01-03)	34mm x2nos (CYL-D01-04)	36mm x2nos (CYL-D01-05)	38mm x2nos (CYL-D01-06)	40mm x2nos (CYL-D01-07)	42mm x2nos (CYL-D01-08)	44mm x2nos (CYL-D01-09)	46mm x2nos (CYL-D01-10)		
4919	48~52mm	52~56mm	56~60mm							
4920	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm					
4921	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm					
4922	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm					
4923	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm					
4924	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm					
4925	49~53mm	53~57mm	57~61mm							
4926	49~53mm	53~57mm	57~61mm							
4927	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm					
4928	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm	48~52mm	52~56mm	56~60mm		
4929			36~40mm	40~44mm	44~48mm	48~52mm	52~56mm	56~60mm		
4930			36~40mm	40~44mm	44~48mm	58~62mm				
4931	38~42mm	42~46mm	46~50mm	50~54mm	54~58mm					
4932	46~50mm	50~54mm	54~58mm	58~62mm						
4933	40~44mm	44~48mm	48~52mm	52~56mm	56~60mm					
4934	40~44mm	44~48mm	48~52mm	52~56mm	56~60mm	58~62mm				
4935	38~42mm	42~46mm	46~50mm	50~54mm	54~58mm	58~62mm				
4936	38~42mm	42~46mm	46~50mm	50~54mm	54~58mm	56~60mm				
4955	52~56mm	56~60mm								
4956	52~56mm	56~60mm								
4957	49~53mm	53~57mm	57~61mm							
4958	49~53mm	53~57mm	57~61mm							
4959	49~53mm	53~57mm	57~61mm							
4960	49~53mm	53~57mm	57~61mm							

Table of Single Cylinders

For 4667~4670 EURO Mortise Lock

Door Thickness / Cylinder L-Size / Lock Model	32mm (CYL-D01-03)	34mm (CYL-D01-04)	36mm (CYL-D01-05)	38mm (CYL-D01-06)	40mm (CYL-D01-07)	42mm (CYL-D01-08)	44mm (CYL-D01-09)	46mm (CYL-D01-10)	48mm (CYL-D01-11)	50mm (CYL-D01-12)
4919	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm					
4920	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4921	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4922	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4923	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4924	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4925	41~49mm	45~53mm	49~57mm	53~61mm						
4926	41~49mm	45~53mm	49~57mm	53~61mm						
4927	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4928	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm				
4929			28~36mm	32~40mm	36~44mm	40~48mm	44-52mm	48~56mm	52~60mm	56~64mm
4930			28~36mm	32~40mm	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm
4931	30~38mm	34~42mm	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm			
4932	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm					
4933	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm				
4934	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm				
4935	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm					
4936	38~46mm	42~50mm	46~54mm	50~58mm	54~62mm					
4955	48~56mm	52~60mm	56~64mm	60~68mm						
4956	48~56mm	52~60mm	56~64mm	60~68mm						
4957	41~49mm	45~53mm	49~57mm	53~61mm	57~65mm	61~69mm				
4958	41~49mm	45~53mm	49~57mm	53~61mm	57~65mm	61~69mm				
4959	41~49mm	45~53mm	49~57mm	53~61mm	57~65mm	61~69mm				
4960	41~49mm	45~53mm	49~57mm	53~61mm	57~65mm	61~69mm				
49901	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm	60~68mm			
49903	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm	60~68mm			
49905	36~44mm	40~48mm	44~52mm	48~56mm	52~60mm	56~64mm	60~68mm			

* For other door thickness, please send enquires to us.

Electroplate Finishes List

ARGO	Description	ARGO	Description
	**F21** Bright chrome		**F22** Satin nickel
	**F31** Antique brass		**F32** Antique copper

APC Finishes List

ARGO	Description	ARGO	Description
	**F91** Matt black powder coating		**F91T** Matt black powder coating with rough surface
	**F93** Matt white powder coating		**F93T** Matt white powder coating with rough surface
	**F94T** Matt light grey powder coating with rough surface		**F96T** Matt dark grey powder coating with rough surface
	**F97** Matt brown powder coating		**F97T** Matt brown powder coating with rough surface

ARGO	Description	ARGO	Description
	**F99** Matt champagne silver powder coating		**F99R** Rough touch champagne silver powder coating
	**F100** Matt silver grey powder coating		**F100T** Matt silver grey powder coating with rough surface
	**F101** Matt champagne gold powder coating		**F102** Matt antique brass gold powder coating
	**F102T** Matt antique brass gold powder coating with rough surface		**F104T** Matt light green powder coating with rough surface
	**F105T** Matt dark green powder coating with rough surface		**F106T** Matt light blue powder coating with rough surface
	**F107T** Matt dark blue powder coating with rough surface		

PVD Finishes List

ARGO	Description	ARGO	Description
	**F16** Polished brass		**F17** Brushed brass
	**F301** Polished bronze		**F302** Brushed bronze
	**F303** Brushed chrome		**F304** Red gold
	**F305** Brushed red gold		**F306** Polished black chrome
	**F307** Brushed black chrome		**F308** Steel optic
	**F310** Polished nickel		**F311** Gold optic
	**F316** Brushed nickel		



www.argo-hardware.com

AG-001-2601