Lever Locksets



high quality lever locks

BONCO®

4624A-KL700 ..... LN36-37
4624A-LC100 ..... LN34-35
4624A-RT600 ..... LN32-33
5091 Series Latch LN31
5091GN Series Latch LN10
KL 701 ..... LN20
KL 702 ..... LN21
KL 703 ..... LN22
KL 704 ..... LN23
KL 705 ..... LN24
KL 707 ..... LN25
KL 708 ..... LN26
KL 709 ..... LN27
KL 710 ..... LN28
KL 711 ..... LN29
KL Rose LN30
LC 101 ..... LN11
LC 102 ..... LN12
LC 103 ..... LN13
LC 104 ..... LN14
LC 105 ..... LN15
LC 106 ..... LN16
LC-Linear Rose LN18-19
LC Rose LN17
RT 601 ..... LN4
RT 602 ..... LN5
RT 603 ..... LN6
RT 604 ..... LN7
RT 605 ..... LN8
RT Rose LN9
Finishes List LN38-39



RT 600 Series & Rose LN4 - 9



5091GN Series Latch LN10



LC 100 Series & Rose LN11 - 17



LC Linear Rose LN18 - 19



KL 700 Series & Rose LN20 - 30



5091 Series Latch LN31



4624A-RT600 LN32 - 33



4624A-LC100 LN34 - 35



4624A-KL700 LN36 - 37



Finishes List LN38 - 39

Numerous patents, copyrights, and trademarks are held by us to protect the integrity and reputation of our distinctive line of hardware appointments.
Manufacturer reserves all right of any modification, materials and specifications eithout notice.

NEW

RT 601 SERIES


Finishes :
F91~F102, F91T~ F108T

Backset : 60mm, 70mm

Door Thickness :
40~44mm, 45~55mm

(Passed 200,000 Cycle Test)

RT601-B



Dimensions in millimeters

RT601-B




Concealed-Magnetic

PATENTED

F99R

RT601-D



Concealed-Magnetic

PATENTED

F91T

NEW

RT 602 SERIES


Finishes :
F91~102, F91T~ F108T

Backset : 60mm, 70mm

Door Thickness :
40~44mm, 45~55mm

(Passed 200,000 Cycle Test)

RT602-D



Dimensions in millimeters

RT602-B




Concealed-Magnetic

PATENTED

F91

RT602-D



Concealed-Magnetic

PATENTED

F102T

NEW

RT 603 SERIES


Finishes :
F91~F102, F91T~ F108T

Backset : 60mm, 70mm

Door Thickness :
40~44mm, 45~55mm

(Passed 200,000 Cycle Test)

RT603-B



Dimensions in millimeters

RT603-B



Concealed-Magnetic

PATENTED

F101

RT603-D



Concealed-Magnetic

PATENTED

F97

NEW

RT 604 SERIES


Finishes :
F91~102, F91T~ F108T

Backset : 60mm, 70mm

Door Thickness :
40~44mm, 45~55mm

(Passed 200,000 Cycle Test)

RT604-D



Dimensions in millimeters

RT604-B



Concealed-Magnetic

PATENTED

F91

RT604-D



Concealed-Magnetic

PATENTED

F100

NEW

RT 605 SERIES


Finishes :
F91~F102, F91T~ F108T

Backset : 60mm, 70mm

Door Thickness :
40~44mm, 45~55mm

(Passed 200,000 Cycle Test)

RT605-B



Dimensions in millimeters

RT605-B




Concealed-Magnetic

PATENTED

F93T

RT605-D



Concealed-Magnetic

PATENTED

F96T

Rose for RT Series NEW

B




F97


D



F102T




B



D

How to Order for RT Series

EXAMPLE : RT601-B-05-5091GN-70-F91-50DT						
Lever	Rose	Function	Latch	Backset	Finish	Door Thickness
RT601	**B**	**05**	**5091GN**	**70**	**F91**	**50DT**
		Latch Bolt by key outside or by thumb turn inside.			Matt black powder coating	50mm

Dimensions in millimeters

Latch for RT Series NEW


5091GN PATENTED

Latch : Aluminium with Magnetic


Backset : 60mm, 70mm

Door Thickness :
40~44, 45~55mm


(Passed 200,000 Cycle Test)



Concealed-Magnetic



Strike Plate
(Stainless Steel)



Face Plate
(Stainless Steel)

Function for RT Series

Locations	Function NO.	External Appearances		Operations
		Outside	Inside	
Entrance	05			Latch Bolt by key outside or by thumb turn inside.
Privacy	65			Latch Bolt by thumb turn inside or open by emergency release by coin outside.
Passage	15			Latch Bolt by lever both side . Both levers always free.

Dimensions in millimeters

LC 101 SERIES


Finishes :
F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC101-B



Dimensions in millimeters

LC101-B





Outside



Inside

(Concealed-Screw)

PATENTED

F91

LC101-A



F91

LC101-C



F91

LC 102 SERIES


Finishes :
F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC102-A



Dimensions in millimeters

LC102-A





Outside



Inside

(Concealed-Screw)

PATENTED

C04

LC102-B



C04

LC102-C



C04

LC 103 SERIES


Finishes :
F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)


LC103-C



Dimensions in millimeters

LC103-C





Outside



Inside

(Concealed-Screw)

PATENTED

C05

LC103-A



C05

LC103-B



C05

LC 104 SERIES


Finishes :
F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC104-A



Dimensions in millimeters

LC104-A





Outside



Inside

F97T

(Concealed-Screw)

PATENTED

LC104-B



F97T

LC104-C



F97T

LC 105 SERIES


Finishes :
F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC105-A



Dimensions in millimeters

LC105-A



F96T



Outside



Inside

(Concealed-Screw)

PATENTED

LC105-B



F96T

LC105-C



F96T

LC 106 SERIES


Finishes :
F91~F102, F91T~F108T,
C04, C05

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

LC106-B



Dimensions in millimeters

LC106-B





Outside



Inside

(Concealed-Screw)

PATENTED

F94T

LC106-A



F94T

LC106-C



F94T

LC Rose

A



F97

B




F91T

C




F99




Outside or Inside

A



Outside or Inside



B



Outside or Inside

C

How to Order

EXAMPLE : LC101-B-05-5091SSN-60-F97-RH-45DT							
Lever	Rose	Function	Latch	Backset	Finish	Door Hand	Door Thickness
LC101	**B**	**05**	**5091-SSN**	**60**	**F97**	**RH**	**45DT**
		Latch Bolt by key outside or by thumb turn inside. *Select other Function from page LN31	 *Select other kinds of Latch from page LN31		Matt Brown powder coating *Select other Finishes from page LN38-39	Inside  Outside	45mm

LC Linear Rose R

Finishes :
F91~F102, F91T~F108T,

Backset : 60mm, 70mm


Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

R



F102



Outside or Inside


Example: LC102-R-05-5091EN-70-F102-RH



F102



Outside



Inside

(Concealed-Screw)

PATENTED

Example: LC104-R-05-5091EN-70-F97T-RH



F97T



Outside



Inside

(Concealed-Screw)

PATENTED


LC Linear Rose
T

Finishes :
F91~F102, F91T~F108T,
Backset : 60mm, 70mm
Door Thickness :
35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

T



F100T



Outside or Inside


Example: LC101-T-05-5091EN-70-F100T-RH



F100T



Outside




Inside

(Concealed-Screw)

PATENTED


Example: LC103-T-05-5091EN-70-F101-RH



F101



Outside



Inside

(Concealed-Screw)

PATENTED

KL 701 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL701-B



Dimensions in millimeters

KL701-B





F93

KL701-A



F93

KL701-C



F93

KL701-D



F93

KL 702 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL702-D



Dimensions in millimeters

KL702-D



F21

KL702-A



F21

KL702-B



F21

KL702-C



F21

KL 703 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)


KL703-C



Dimensions in millimeters

KL703-C





F94T

KL703-A



F94T

KL703-B



F94T

KL703-D



F94T

KL 704 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL704-C



Dimensions in millimeters

KL704-C





F97

KL704-A



F97

KL704-B



F97

KL704-D



F97

KL 705 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL705-A



Dimensions in millimeters

KL705-A





F22

KL705-B



F22

KL705-C



F22

KL705-D



F22

KL 707 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL707-B



Dimensions in millimeters

KL707-B





F100

KL707-A



F100

KL707-C



F100

KL707-D



F100

KL 708 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL708-D



Dimensions in millimeters

KL708-D





F104T

KL708-A



F105T

KL708-B



F105T

KL708-C



F105T

KL 709 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL709-C



Dimensions in millimeters

KL709-C





F106T

KL709-A



F107T

KL709-B



F107T

KL709-D



F107T

KL 710 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL710-B



Dimensions in millimeters

KL710-B





F91T

KL710-A



F96T

KL710-C



F96T

KL710-D



F96T

KL 711 SERIES


Finishes :
F21, F22, F91~F102,
F91T~F108T

Backset : 60mm, 70mm

Door Thickness :
35~44mm, 45~55mm

(Passed 200,000 Cycle Test)

KL711-A



Dimensions in millimeters

KL711-A





F93T

KL711-B



F97T

KL711-C




F97T


KL711-D




F97T

KL Rose






How to Order

EXAMPLE : KL701-A-05-5091EN-70-F22-50DT						
Lever	Rose	Function	Latch	Backset	Finish	Door Thickness
KL701	**A**	**05**	**5091-EN**	**70**	**F22**	**50DT**
		Latch Bolt by key outside or by thumb turn inside. *Select other Function from page LN31	 *Select other kinds of Latch from page LN31		Satin Nickel *Select other Finishes from page LN38-39	50mm

Latch for KL and LC Series

Model	Backset	Material	Photo	Latch Size
5091EN	60 & 70	**Latch :** Zinc Alloy , Reverdible **Face & Strike Plate :** Stainless Steel		
5091SSN	60 & 70	**Latch :** Stainess Steel , Reverdible **Face & Strike Plate :** Stainless Steel		

Function for KL and LC Series

Locations	Function NO.	External Appearances		Operations
		Outside	Inside	
Entrance	05			Latch Bolt by key outside or by thumb turn inside.
Privacy	65			Latch Bolt by thumb turn inside or open by emergency release by coin outside.
Bathroom or Washroom	68			Latchbolt by either lever unless both levers are locked by thumbturn in inside lever. Emergency open by coin or similar tools from outside lever. Occupancy indicator by thumturn. * Available for KL Series only.
Passage	15			Latch Bolt by lever both side . Both levers always free.


NEW

4624A-RT600

Security Bolt with Lever


Finishes : F91~F102, F91T~F108T
Backset : 60mm, 70mm
Door Hand : LH / RH
Hub : For 5mm Square Spindle (inside)
Door Thickness : 40~44mm, 45~55mm
(Passed 200,000 Cycle Test)

4624A-RH




4624A - RT601 - B - 70 - RH - 45DT - F99R


4624A	RT601	B	70	RH	45DT	F99R
Security bolt with key outside	Lever with thumb turn inside	Rose	Backset	Door Hand	Door Thickness	Finish



Roses



F99R
B



F100
D

Levers


Select size of Levers from RT600 Series



F99R
RT601



F102T
RT602



F101
RT603



F100
RT604



F93T
RT605

NEW

Rose and Lever

Example for set



F99R
RT601-B



F102T
RT602-D



F101
RT603-B



F100
RT604-D




F93T
RT605-B

4624A-LC100

Security Bolt with Lever


Finishes : F91~F102, F91T~F108T, C04, C05
Backset : 60mm, 70mm
Door Hand : LH / RH
Hub : For 5mm Square Spindle (inside)
Door Thickness : 35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

4624A-RH




4624A - LC101 - A - 70 - RH - 45DT - C05


4624A	LC101	A	70	RH	45DT	C05
Security bolt with key outside	Lever with thumb turn inside	Rose	Backset	Door Hand	Door Thickness	Finish




Roses



F91
A



F93
B



F101
C

Levers with thumb turn inside

Select size of Levers from LC-100 Series



F97
LC101



F99
LC102



F100
LC103



F100T
LC104



F96T
LC105



F94T
LC106

Rose and Lever

Example for set



F97
LC101-B



F102
LC102-A



C04
LC103-C



F100T
LC104-A



F96T
LC105-A




F94T
LC106-B

4624A-KL700

Security Bolt with Lever


Finishes : F21, F22, F91~F102,
F91T~F108T
Backset : 60mm, 70mm
Door Hand : LH / RH
Hub : For 5mm Square Spindle (inside)
Door Thickness : 35~44mm, 45~55mm
(Passed 200,000 Cycle Test)

4624A-RH




4624A - KL702 - D - 70 - RH - 45DT - F101

4624A	KL702	D	70	RH	45DT	F101
Security bolt with key outside	Lever with thumb turn inside	Rose	Backset	Door Hand	Door Thickness	Finish




Available for Rose “B” & “D” only

Roses



F21
B



F91
D

Levers with thumb turn inside

Select size of Levers from KL-700 Series



F22
KL701



F93
KL702



F94T
KL703



F97
KL704



F100
KL705



F101
KL707



F105T
KL708



F106T
KL709



F91T
KL710



F97T
KL711

Rose and Lever

Example for set



F97
KL704-B



F102
KL707-B



F105T
KL708-D



F106T
KL709-B



F91T
KL710-B

Finishes List

BONCO	Description	BONCO	Description
	**F21** Bright chrome		**F22** Satin nickel
	**F91** Matt black powder coating		**F91T** Matt black powder coating with rough surface
	**F93** Matt white powder coating		**F93T** Matt white powder coating with rough surface
	**F94T** Matt light grey powder coating with rough surface		**F96T** Matt dark grey powder coating with rough surface
	**F97** Matt brown powder coating		**F97T** Matt brown powder coating with rough surface
	**F99** Matt champagne silver powder coating		NEW **F99R** Rough touch champagne silver powder coating
	**F100** Matt silver grey powder coating		**F100T** Matt silver grey powder coating with rough surface

Finishes List

BONCO	Description	BONCO	Description
	**F101** Matt champagne gold powder coating		**F102** Matt antique brass gold powder coating
	**F102T** Matt antique brass gold powder coating with rough surface		**F104T** Matt light green powder coating with rough surface
	**F105T** Matt dark green powder coating with rough surface		**F106T** Matt light blue powder coating with rough surface
	**F107T** Matt dark blue powder coating with rough surface		**F108T** Matt rose gold powder coating with rough surface
	**C04** Matt champagne silver / Silver grey powder coating		**C05** Matt champagne gold / Antique brass gold powder coating

Name of quality & dependability

www.boncohardware.com

BONCO Ironmongery Ltd.
Member of E. Bon Holdings Ltd. (HKEx stock code 599)

18/F, First Commercial Building, 33 Leighton Rd., Causeway Bay, H.K.
Tel : (852) 2891 2188 Fax : (852) 2834 2652

FSC
www.fsc.org
MIX
Paper from responsible sources
FSC™ C112031

BC-003-2609