
Locksets




high quality locks

ARGO

4210 / 4217S / 4217W LD25
4213C / 4214 Series LD22
4218C / 4219 Series LD23
4220-05 / 65 / Dummy, 4221-05 / 65 / Dummy LD18
4222, 4222T, KP3024 ..... LD19
4222E LD20
4223 ..... LD21
4290/4290N - 05 / 63 / 65 ..... LD27
4291/4291N - 05 / 63 / 68 ..... LD28
4292S / 4624A / 4625 / 4625A LD26
4293/4293N - 05 / 63 / 68 ..... LD30
4294/4294N - 05 / 63 / 68 ..... LD31
4297/4927N - 05 / 63 / 68 ..... LD29
4309/ 4311 (4300 Series) LD33
4326NT LD24
4622 Series LD10-11
4626 Series LD4
4626-NS Series LD5
4635-65 / 68 / 69 ..... LD13
4638 / 4639 / 4642 / 4643 / 4644 / 4645 ..... LD32
4648A-65 / 68 / 69 ..... LD13
4648H-65 / 68/ 69 ..... LD13
4650 Series LD6
4651 / 4651-B LD12
4652 ..... LD12
4653 Series LD7
4681BP / SBG-BP / SBG-BPD / 5-BP (Fixing Back Plate) LD36
AT-01 / AT-02 (Aid Tool) LD36
CLS Series LD15
CL / CLQ Series LD14
CL / CLQ-2H Series LD17
CP32, CP33-12 / 13 / 15, CP35-31 / 33 ..... LD34
Display Wood Stand LD38-39
ES004, 005, 007, 008, 009, 014 (ES Series) LD8-9
Finishes LD40-42
LL Series LD15
RK-06 / 13 / 21 / 24 / 27 (Rebated Kit) LD37
Spindle Series LD35


4626, 4626NS, 4650, 4653 Series LD4-7


ES Series (Euro Mortise Lock) LD8-9


4622 Series LD10-11


4651 / 4651-B, 4652 LD12


4635, 4648A, 4648H Series LD13


CL & CLQ, LL & CLS Series LD14-16


CL & CLQ-2H Series LD17


4220, 4221, 4222, 4223 Series LD18-21


4213C, 4214, 4218C, 4219 Series LD22-24


4326NT LD24


4210, 4217S, 4217W LD25


4292S, 4624A, 4625 / 4625A, 4290 Series LD26-27


4291, 4297 Series LD28-29


4293, 4294 Series LD30-31


4638 / 4639, 4642 / 4643, 4644 / 4645 LD32


4300 Series LD33



Cylinder Pull LD34


Spindle Series LD35


Fixing Back Plate, AT Series LD36


RK Series LD37


Display Wood Stand LD38-39


Finishes LD40-42

Numerous patents, copyrights, and trademarks are held by us to protect the integrity and reputation of our distinctive line of hardware appointments.
Manufacturer reserves all rights of any modification, materials and specifications without notice.

4626 SERIES


Euro Mortise Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T, **PVD** (by request)

Backset: 60, 70mm

Hub: For 8mm Square Spindle
















4626



Dimensions in millimeters

4626
(Passed 200,000 Cycle Test)
(Door Hand : LH & RH)



Model No.	4626	4626-B	4626-C	4626-D	4626-P	4626-S
	Euro Entrance Mortise Lock	Euro Mortise Private Lock	Euro Mortise Dead Lock	Euro Mortise Dead Lock	Euro Mortise Passage Lock	Euro Mortise Store Room Lock
Drawing		 For 4.7mm Square Spindle	 For 4.7mm Square Spindle			
Function	 Outside Lever / Inside Lever / Cylinder / Turn Piece	 Outside Lever / Inside Lever / Emergency / Thumb Turn	 Outside / Inside / Emergency / Thumb Turn	 Outside / Inside / Cylinder / Turn Piece	 Outside Lever / Inside Lever	 Outside Dummy / Inside Lever / Cylinder
Strike Plate	 3 / 39 / 27 / 10 / 72 / 50 / 195 / 103 / 120 / 45 / For 35~45D/T Wood Door LH/RH / For 45~55D/T Wood Door LH/RH / For Steel Door		 1.5 / 27 / 123 / 103		 3 / 101 / 27 / 81 / 50 / 38 / 44 / For 35~45D/T / For 45~55D/T	

4626-NS SERIES


Euro Mortise Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T, **PVD** (by request)

Backset: 60mm

Hub: For 8mm Square Spindle


4626-NS


















Dimensions in millimeters

4626-NS

(Passed 200,000 Cycle Test)
(Door Hand : LH & RH)



Model No.	4626NS Euro Entrance Mortise Lock	4626NS-B Euro Mortise Private Lock	4626NS-C Euro Mortise Dead Lock	4626NS-D Euro Mortise Dead Lock	4626NS-P Euro Mortise Passage Lock	4626NS-S Euro Mortise Store Room Lock
Drawing		 For 4.7mm Square Spindle	 For 4.7mm Square Spindle			
Function	 Outside Lever / Inside Lever Cylinder / Turn Piece	 Outside Lever / Inside Lever Emergency / Thumb Turn	 Outside / Inside Emergency / Thumb Turn	 Outside / Inside Cylinder / Turn Piece	 Outside Lever / Inside Lever	 Outside Dummy / Inside Lever Cylinder
Strike Plate	 For 35~45D/T Wood Door LH/RH For 45~55D/T Wood Door LH/RH For Steel Door		 For 35~45D/T For 45~55D/T			

4650 SERIES


Euro Mortise Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T, **PVD** (by request)

Backset: 60, 70mm

Hub: For 8mm Square Spindle






















4650



Dimensions in millimeters

4650
(Passed 200,000 Cycle Test)
(Door Hand : LH & RH)



4650	4650A	4650-B	4650H	4650-C	4650-D	4650-P	4650-S	4650S-H
Euro Entrance Mortise Lock	Euro Mortise Lock	Euro Mortise Private Lock	Euro Mortise Lock	Euro Mortise Dead Lock	Euro Mortise Dead Lock	Euro Mortise Passage Lock	Euro Mortise Store Room Lock	Euro Mortise Store Room Lock
		 For 4.7mm Square Spindle	PATENTED 	 For 4.7mm Square Spindle				
 Outside Lever / Inside Lever / Cylinder / Turn Piece	 Outside Lever / Inside Lever / Cylinder / Turn Piece	 Outside Lever / Inside Lever / Emergency / Thumb Turn	 Outside Lever / Inside Lever / Latchbolt / Hold-back Function Button / Cylinder / Turn Piece	 Outside / Inside / Emergency / Thumb Turn	 Outside / Inside / Cylinder / Turn Piece	 Outside Lever / Inside Lever	 Outside Dummy / Inside Lever / Cylinder	 Outside Dummy / Inside Lever / Hold-back Function Button / Cylinder
Operations: Open panic action by lever inside only; Cylinder or turn piece lock or unlock deadbolt only (Spindle = AR)			Operations: Hold the latchbolt by turn piece or lever then hold-back function button; Retract latchbolt by hold-back function button or turn piece.				(Spindle = AL)	(Spindle = AL) Operations: Hold the latchbolt by turn piece or lever then hold-back function button
 For 35~45D/T Wood Door LH/RH; For 45~55D/T Wood Door LH/RH; For Steel Door						 For 35~45D/T; For 45~55D/T		

4653 SERIES


Euro Mortise Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T, **PVD** (by request)

Backset: 60, 70mm


Hub: For 8mm Square Spindle









4653



Dimensions in millimeters

4653
(Passed 200,000 Cycle Test)
(Door Hand : LH & RH)



Model No.	4653-E	4653-C	4653-S
	Euro Mortise Entrance Lock	Euro Mortise Classroom Lock	Euro Mortise Store Room Lock
Drawing		 Only **4653-C** mortise must be write down the door LH or RH on the order; Only **4653-C** mortise used square spindle is different from others. (it's use **AR** split spindle)	
Function	 Operations: Lock or unlock by key outside, by turn piece inside; Open panic action by lever inside (spindle = AL)	 Operations: Outside lever lock or unlock by key; Open by lever inside (spindle = AR)	 Operations: Open by key outside; or by lever inside (spindle = AL)
Strike Plate			

ES SERIES

Escutcheon Plates for Euro Mortise Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T, **PVD** (by request)

Length of connecting neck part of the levers for this series is different from that of regular SB series.

This series has be always ordered in complete set (or escutcheons and levers). The regular SB series components cannot be combined together.

Please write down the door thickness and LH/RH on the order.

ES004

ES004-SB201-4626



F100

ES005

ES005-SB207-4626



F96T

ES007

ES007-NL802-4650



F22

ES008

ES008-NL823-4650



F105T

ES009

ES009-NL802-4650



F21

ES014

ES004-NL816-4626




F100


ES SERIES

Escutcheon Plates for
Euro Mortise Lock


Dimensions
in millimeters




ES004




ES005




ES007



ES008



ES009




ES014

4622 SERIES


Euro Profile Cylinders

Finishes:
F21, F22, F91~F102,
F91T~F108T, **PVD** (by request)

4622S-A-SK




4622H-SK



Dimensions in millimeters

4622S-A-SK
F21 Bright chrome
(Passed 200,000 Cycle Test)





How to Order

Example: 4622 S-A-SK-80-F21

4622S	-	A	-	SK	-	80	-	F21
Function		Turn Piece		Key Type		Length		Finish

Function

4622S
Single cylinder with Turn piece



4622W
Double cylinder




4622H
Half cylinder



4622T
Emergency cylinder
with Turn piece



Turn Piece



Key Type

4622
5-pin key cylinder



4622-NS
5-pin key with prevent drill bar cylinder



4622-SK
13-pin three way key cylinder



Length

Cylinder		Length (Dimensions in mm)										
		40	45	50	55	60	65	70	75	80	85	90
S	4622S					●	●	●	●	●	●	●
	4622S-NS					●	●	●	●	●	●	●
	4622S-SK						●	●	●	●	●	●
W	4622W						●	●	●	●	●	●
	4622W-NS						●	●	●	●	●	●
	4622W-SK							●	●	●	●	●
H	4622H	●	●	●	●							
	4622H-NS	●	●	●	●							
	4622H-SK	●	●	●	●							
T	4622H-T					●	●	●	●	●	●	●


4651 / 4651-B

Euro Mortise Dead Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T

Backset: 60mm

4651




Dimensions in millimeters

4651 /4651-B

(Passed 200,000 Cycle Test)



4651-B



for 4.7mm
square spindle


4652

Euro Mortise Hook Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T

Backset: 60mm

4652



Dimensions in millimeters

4652

(Passed 200,000 Cycle Test)




4635 SERIES

Thumb Turn

Spindle: 4.7mm Square

Finishes:
F21, F22, F91~F102, F91T~F108T

Use for mortise lock: 4626-B, 4626-C, 4626NS-B, 4626NS-C, 4650-B, 4650-C, 4651-B




4648A SERIES

Thumb Turn

Spindle: 4.7mm Square

Finishes:
F21, F22, F91~F102, F91T~F108T

Use for mortise lock: 4626-B, 4626-C, 4626NS-B, 4626NS-C, 4650-B, 4650-C, 4651-B




4648H SERIES


Thumb Turn

Spindle: 4.7mm Square

Finishes:
F21, F22, F91~F102, F91T~F108T

Use for mortise lock: 4626-B, 4626-C, 4626NS-B, 4626NS-C, 4650-B, 4650-C, 4651-B





CL SERIES

Lever Type Mortise Locks


Finishes:
F16, F21, F22, F91~F102,
F91T~F108T

Backset: 50mm

Door Thickness: 35~50mm

Hub: For 8mm Square Spindle

CL-05



Dimensions in millimeters

CL-05

(5-Pin Key Single Cylinder With Thumb turn)

(Passed 200,000 Cycle Test)





5-Pin Key



Outside



Inside

CLQ SERIES

Lever Type Mortise Locks


Finishes:
F16, F21, F22, F91~F102,
F91T~F108T

Backset: 70mm

Door Thickness: 35~50mm

Hub: For 8mm Square Spindle

CLQ-05



Dimensions in millimeters

CLQ-05

(5-Pin Key Single Cylinder With Thumb turn)

(Passed 200,000 Cycle Test)





5-Pin Key



Outside



Inside

CLS SERIES


Sliding Door Mortise Locks

Finishes:
F16, F21, F22, F91~F102,
F91T~F108T

Backset: 50mm

Door Thickness: 35~50mm

CLS-05



Dimensions in millimeters

CLS-05

(5-Pin Key Single Cylinder With Thumb turn)

(Passed 200,000 Cycle Test)





5-Pin Key



Outside



Inside

LL SERIES


Lever Type Mortise Locks

Finishes:
F16, F21, F22, F91~F102,
F91T~F108T

Backset: 50mm

Hub: For 8mm Square Spindle

LL 15



Dimensions in millimeters

LL 15

(Passed 200,000 Cycle Test)





CL Series



CLQ Series



CLS Series



LL Series

Function Chart

Location	Function No.	External Apperances		Operations	Series			
		Outside	Inside		CL	CLQ	CLS	LL
Storeroom	04	Cylinder / Lever	Thumb turn / Lever (Rigid / Rigid)	Latchbolt by key outside, by thumb turn inside. Both lever is rigid.	●	●		
Entrance	04L	Cylinder / Lever	Lever (Rigid)	Latchbolt by lever inside, by key from outside.	●	●		
Entrance	05	Cylinder / Lever	Thumb turn / Lever	Latchbolt by levers both sides. Deadbolt by key outside, by thumb turn inside. CLS (Hook Bolt by key outside, by Thumb turn inside)	●	●	●	
Entrance	26	Cylinder / Lever	Cylinder / Lever	Latchbolt by levers both sides. Deadbolt by key both sides. CLS (Hook Bolt by key bothside)	●	●	●	
Storeroom	35	Cylinder / Casement	Casement	Latchbolt by casement both sides. Deadbolt by key outside only. CLS (Hook Bolt by key outside only)	●	●	●	
Patio or Exit	63	Lever	Thumb turn / Lever	Latchbolt by levers both sides. Deadbolt by thumb turn inside only. CLS (Hook Bolt by Thumb turn inside only)	●	●	●	
Privacy	65	Emergency / Lever	Thumb turn / Lever	Latchbolt by levers both sides. Deadbolt by thumb turn inside and emergency key or coin outside. CLS (Hook Bolt by Emergency Key or Coin outside, by Thumb turn inside)	●	●	●	
Passage	15	Lever	Lever	Latchbolt by lever both sides.	●	●		●

CL/CLQ-2H SERIES

Casement Handles Locks

Standard Finish:
F24

Backset: 50, 70mm

Door Thickness: 35~50mm

CL/CLQ-2H
(Passed 200,000 Cycle Test)



(Both side casement handles to use surface fixing)

05
(5-Pin Key Single Cylinder With Thumb turn)



5-Pin Key



Outside



Inside

Location	Function No.	External Apperances		Operations
		Outside	Inside	
Entrance	05	Cylinder / Casement	Thumb turn / Casement	Latchbolt by casement both sides. Deadbolt by key outside, by thumb turn inside.
Entrance	26	Cylinder / Casement	Cylinder / Casement	Latchbolt by casement both sides. Deadbolt by key both sides.
Storeroom	35	Cylinder / Casement	Casement	Latchbolt by casement both sides. Deadbolt by key outsides only.
Patio or Exit	63	Casement	Thumb turn / Casement	Latchbolt by casement both sides. Deadbolt by thumb turn insides only.
Privacy	65	Emergency / Casement	Thumb turn / Casement	Latchbolt by casement both sides. Deadbolt by thumb turn insides and emergency key or coin outside.
Passage	15	Casement	Casement	Latchbolt by casement both sides.

4220 SERIES


Sliding Door Hook Lock Concealed Screw

Finishes:
F21, F22, F91~F102,
F91T~F108T

Backset: 60mm

Door Thickness: 35~50mm

4220



Dimensions in millimeters

4220-05
(Passed 200,000 Cycle Test)



5-Pin Key





F21

FUNCTION

4220-05	4220-65	4220-Dummy
 Outside	 Outside	 Outside
 Inside	 Inside	 Inside
F91	**F91**	**F91**

4221 SERIES


Sliding Door Hook Lock Concealed Screw

Finishes:
F21, F22, F91~F102,
F91T~F108T

Backset: 60mm

Door Thickness: 35~50mm

4221



Dimensions in millimeters

4221-05
(Passed 200,000 Cycle Test)



5-Pin Key





F22

FUNCTION

4221-05	4221-65	4221-Dummy
 Outside	 Outside	 Outside
 Inside	 Inside	 Inside
F102	**F102**	**F102**

4222 SERIES


Sliding Door Hook Lock
Concealed Screw

Finishes:
F91~F102, F91T~F108T

Backset: 60mm

Door Thickness: 35~55mm

Latch



Dimensions in millimeters

4222 PATENTED
(Passed 200,000 Cycle Test)





F96T

FUNCTION

4222



Outside Inside

F96T

4222T



Outside Inside


F96T

KP-3024




Dummy pull


F96T



4222



4222T



KP-3024

4222E

Sliding Door Hook Lock

Finishes:


F91~F102, F91T~F108T

Backset: 60mm

Door Hand: **LH** or **RH**


Door Thickness: 35~55mm

4222E - LH / RH



4222E-RH PATENTED

(Passed 200,000 Cycle Test)



F96T

4223 SERIES

Concealed Screw Sliding Door Bolt

Finishes:
F91~F102, F91T~F108T


Door Thickness: 35~55mm


4223-05 PATENTED




F97T


FUNCTION







Dimensions in millimeters



4213C SERIES

Sliding Door Hook Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T


Door Thickness: 35~55mm
(Passed 200,000 Cycle Test)

F22



4213C-N　4213C-NB-RH PATENTED　4213C-4623

4213C



Dimensions in millimeters

FUNCTION

4213C	4213CT	4213P
		
Outside　Inside	Outside　Inside	Dummy Pull
F22	F22	F22


4214 SERIES

Sliding Door Hook Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T


Door Thickness: 35~55mm
(Passed 200,000 Cycle Test)

F97



4214-N　4214-NB-RH PATENTED　4214-4623

4214



Dimensions in millimeters

FUNCTION


4214	4214T	4214P
		
Outside　Inside	Outside　Inside	Dummy Pull
F97	F97	F97

4218C SERIES


Sliding Door Hook Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T

Door Thickness: 35~55mm
(Passed 200,000 Cycle Test)



4218C



Dimensions in millimeters

FUNCTION


4218C	4218CT	4218P
		
Outside Inside	Outside Inside	Dummy Pull
F100	F100	F100

4219 SERIES


Sliding Door Hook Lock

Finishes:
F21, F22, F91~F102,
F91T~F108T

Door Thickness: 35~55mm
(Passed 200,000 Cycle Test)



4219



Dimensions in millimeters


FUNCTION

4219	4219T	4219P
		
Outside Inside	Outside Inside	Dummy Pull
F102	F102	F102


N Latch & 4623 Lock

Sliding Door Hook Lock


Dimensions in millimeters





N Latch



4623 Lock







NB Latch for **LH**

NB Latch for **RH**

4326NT


Rim Night Latch

Standard Finish: F72

Backset: 60mm

Door Thickness: 35~55mm


4326NT



Dimensions in millimeters

4326NT

(Passed 200,000 Cycle Test)







5-Pin Key

4210

Single Casement Handle

Finishes:
F16, F21, F22

Material: Solid Brass

Hub: For 8mm Square Spindle

4210



4217S

Single Casement Handle

Standard Finish:
F24

Material: Stainless Steel

Hub: For 8mm Square Spindle

4217S



4217W

Casement Handle & Latch

Standard Finish: F24

Material: Stainless Steel


Backset: 60, 70mm

Door Thickness: 35~55mm


Hub: For 8mm Square Spindle

4217W
(Passed 200,000 Cycle Test)






4210



4217S



4217W

Dimensions in millimeters

4292S


Single Cylinder Tubular Dead-Latch

Finishes:
F24, F25, F91~F102,
F91T~F108T, **PVD** (by request)

Backset: 70mm

Door Thickness: 42~55mm

4292S
(Passed 200,000 Cycle Test)





5-Pin Key

4624A

Security Bolt


Finishes:
F21, F22, F91~F102, F91T~F108T

Backset: 60, 70mm

Hub: For 5mm Square Spindle (inside)

Door Thickness: 35~55mm

4624A-RH
(Passed 200,000 Cycle Test)





Option:
Thumb Turn design could chosed from Handle Lock catalogue BC-001, Please write down the door LH or RH on the order.

4625 / 4625A

Security Bolt

Finishes:

F21, F22, F91~F102, F91T~F108T

Backset: 40mm


Door Thickness: 30~60mm

4625 / 4625A
(Passed 200,000 Cycle Test)







4625 **4625A**



4292S



4624A-RH




4625

Dimensions in millimeters


4290 SERIES

Tubular Deadlock

Finishes: F24, F25, F91~F102, F91T~F108T, **PVD** (by request)
Backset: 60, 70mm
(N LATCH 60mm B/S **Only**)
Door Thickness: 35~55mm
(Passed 200,000 Cycle Test)



Dead Lock



N Latch

Single Cylinder Tubular Deadlock



35~45 D/T **OR** 45~55 D/T

Outside Inside

4290-05





5-Pin Key

4290N-05



F94T

Tubular Deadlock



Inside

4290-63



4290N-63



F94T

Tubular Deadlock with Emergency Release



Outside Inside


4290-65




4290N-65




F94T



4290/4290N -05



4290/4290N -63




4290/4290N -65

Dimensions in millimeters


4291 SERIES

Tubular Deadlock

Finishes:
F21, F22, F91~F102,F91T~F108T
Backset: 60, 70mm
(N LATCH 60mm B/S **Only**)
Door Thickness: 35~55mm
(Passed 200,000 Cycle Test)



Dead Lock



N Latch

Single Cylinder Tubular Deadlock

4291-05



5-Pin Key

4291N-05



Outside Inside





F100

Tubular Deadlock

4291-63



Inside



4291N-63



F100

Tubular Deadlock with Emergency Release

4291-68




Outside Inside




4291N-68




F100



4291/4291N -05



4291/4291N -63




4291/4291N -68

Dimensions in millimeters


4297 SERIES

Tubular Deadlock

Finishes:
F21, F22, F91~F102,F91T~F108T
Backset: 60, 70mm
(N LATCH 60mm B/S **Only**)
Door Thickness: 35~55mm
(Passed 200,000 Cycle Test)



Dead Lock



N Latch

Single Cylinder Tubular Deadlock

4297-05



Outside Inside





5-Pin Key

F97

4297N-05



Tubular Deadlock

4297-63



Inside



F97

4297N-63



Tubular Deadlock with Emergency Release

4297-68




Outside Inside




F97

4297N-68






4297/4297N -05



4297/4297N -63




4297/4297N -68

Dimensions in millimeters


4293 SERIES

Concealed Screw Tubular Deadlock

Finishes:
F21, F22, F91~F102,F91T~F108T
Backset: 60, 70mm
(N LATCH 60mm B/S **Only**)
Door Thickness: 35~55mm
(Passed 200,000 Cycle Test)



Dead Lock



N Latch

Single Cylinder Tubular Deadlock

4293-05



Outside Inside





F102

4293N-05



Tubular Deadlock

4293-63



Inside



F102

4293N-63



Tubular Deadlock with Emergency Release

4293-68




Outside Inside




F102

4293N-68






4293/4293N -05



4293/4293N -63




4293/4293N -68

Dimensions in millimeters


4294 SERIES

Concealed Screw Tubular Deadlock

Finishes:
F21, F22, F91~F102,F91T~F108T
Backset: 60, 70mm
(N LATCH 60mm B/S **Only**)
Door Thickness: 35~55mm
(Passed 200,000 Cycle Test)



Dead Lock



N Latch

Single Cylinder Tubular Deadlock

4294-05

4294N-05



Outside Inside





F99

Tubular Deadlock

4294-63

4294N-63



Inside





F99

Tubular Deadlock with Emergency Release

4294-68

4294N-68




Outside Inside







F99



4294/4294N -05



4294/4294N -63



4294/4294N -68

Dimensions in millimeters

4638 / 4639

Indicating Bolts

Finishes:
F24, F25, F91~F102,
F91T~F108T

Backset: 40mm


Door Thickness: 35~50mm

4638 (Emergency Release Dead Bolt)
4639 (Emergency Release Dead Bolt with Indicator)

(Passed 200,000 Cycle Test)



F25



4642 / 4643

Indicating Bolts

Finishes:
F24, F25, F91~F102,
F91T~F108T

Backset: 40mm

Door Thickness: 35~50mm

4642 (Emergency Release Dead Bolt)
4643 (Emergency Release Dead Bolt with Indicator)

(Passed 200,000 Cycle Test)



F24



4644 / 4645

Indicating Bolts

Finishes:
F24, F25, F91~F102,
F91T~F108T

Backset: 40mm

Door Thickness: 35~50mm


4644 (Emergency Release Dead Bolt)
4645 (Emergency Release Dead Bolt with Indicator)

(Passed 200,000 Cycle Test)




F91






4638/4639



4642/4643



4644/4645

Dimensions in millimeters

4300 SERIES

Auto Locking System (Panic release action)

Standard Finishes:
F91~F102, F91T~F108T
Door Thickness: 35~60mm

We are proudly introducing our 4300 series security locks here. Mortise part of the exterior component can be placed into the existing door hole of the cylindrical lockset easily. This unit is quite attractive for replacement to the cylindrical lockset particularly. With our 4300 series locks, you can easily upgrade the security and image to your entry doors. Choose simple design, artistic design, elegant design, and much more.

Even when the door is locked, you can open the door anytime with one action of the inside lever and exit with Panic Action.

Note: The model 4309 is the only one without auto locking. Locking and unlocking by key from outside, with turn-piece from inside.

4309 PATENTED



13-pin three way key



F97

Ball Catch at the edge to stable the door

Each set is supplied with the quality Ball Catch to stable the door shutting at proper position.





F96T

4311 PATENTED



13-pin three way key




F102

4300 SERIES

Auto Locking System (Panic release action)

Dimensions in millimeters



4309 4311 Ball Catch

CYLINDER PULL

Finishes:
F24, F25, F91~F102,
F91T~F108T, **PVD** (by request)

CP32



CP33-13



CP33-12



CP33-15



CP35-31




CP35-33




CYLINDER PULL


Dimensions
in millimeters




CP32




CP33-13




CP33-12



CP33-15













CP35-31







CP35-33



Spindle

Model	Photo	Dimensions in mm	Operations
AA			For SB & NL Series Lever Handle
AD(4627)			For 4627 Series ANSI Mortise Lock
AD(4667)			For 4667 Series EURO Mortise Lock
AE			For LF Series Lever Handle
AF			For 4217 Series
AG			For KL700 Series (15 Function) Lever Handle
AH			For HS Series Lever Handle
AI			For 4900-DTK & DTL Series
AJ			For 4218 Series
AK			For HS-DA Series Lever Handle
AL			Single side spindle for EURO Mortise Lock
AM			Single side spindle for ANSI Mortise Lock
AR			For 4650-A & 4653-C mortise lock only








Fixing Back Plate

Model	Photo	Dimension in mm	Used for
4681-BP			For 4900 Series Dummy Fixing
SBG-BP			For SB, HS & NL Series Levers Handle Dummy Fixing
SBG-BPD			For SBG, HSG & NLG Series Levers Handle Dummy Fixing
5-BP			For 5 Series Covers Dummy Fixing (door thickness must be over 38mm)

Aid Tool - AT Series

Model	Photo	Dimensions in mm	Used for
AT-01			For 49000 Series: 49901, 49903 & 49905
AT-02			For Cylinder Escutcheon: SB, HS & 5 Series Covers





Rebated Kit - RK Series


Modle	Photo	Dimension in mm	Used for	Example
RK-06			For 4627,4627S, 4628,4629 & 4630 Series (ANSI Mortise Lock)	
RK-13			For 4626, 4626NS, 4650, 4653 & 4667 Series (EURO Mortise Lock)	
RK-21			For CL / CLQ Series (Mortise Lock)	
RK-24			For 4627/4627S Series (ANSI Mortise Lock for narrow strike plate 28mm)	
RK-27			For 5091 Series (Latch)	

Display Wood Stand



WD-100 Series
L=600 W=140










Drawing				
NO.	**WD-101-01**	**WD-102-01**	**WD-102-02**	**WD-103-01**
Used for	49K/L Dummy	49K+4627	49DH+4627	49K+4667



















Dimension in mm



WD-200 Series
L=450 W=130

Drawing									
NO.	**WD-201-01**	**WD-201-02**	**WD-201-03**	**WD-201-04**	**WD-201-07**	**WD-201-08**	**WD-201-11**	**WD-201-12**	**WD-201-13**
Used for	KL+5091(60)	KL+5091(70)	SB/NL+5091(60)	SB/NL+5091(70)	4210+4217S +4217W (60)	4210+4217S +4217W (70)	KL700+KL100 +4624A (60)	KL700+KL100 +4624A (70)	4222-(60)+KP-3024








































Drawing								
NO.	**WD-201-15**	**WD-202-01**	**WD-202-02**	**WD-203**	**WD-204-01**	**WD-205-05**	**WD-205-06**	**WD-205-07**
Used for	4222+4222T	ES+4626(60)	ES+4626(70)	49DTK Dummy	49DTK+4628	4218+4219+4623	4213C+4623	4214+4623

Drawing								
NO.	**WD-205-08**	**WD-205-09**	**WD-205-10**	**WD-205-11**	**WD-205-12**	**WD-205-13**	**WD-206-01**	**WD-206-02**
Used for	4218C+4623	4219+4623	4213C-N	4214-N	4218C-N	4219-N	4651+4652	CLS-05/65

Display Wood Stand



WD-300 Series
L=350 W=130

Drawing									
NO.	**WD-301-01**	**WD-301-02**	**WD-301-03**	**WD-301-04**	**WD-302-01**	**WD-302-02**	**WD-302-03**	**WD-302-04**	**WD-303-01**
Used for	SB/ES+CL	SB/ES+CLQ	5 Series+CL	5 Series+CLQ	SB-A-AE +4626(60)	SB-A-AE +4626(70)	5-A-AE +4626(60)	5-A-AE +4626(70)	SB+LL
Drawing									
NO.	**WD-303-02**	**WD-304-01**	**WD-304-02**	**WD-304-03**	**WD-304-04**	**WD-304-05**	**WD-304-06**	**WD-304-07**	**WD-304-08**
Used for	5 Series+LL	4300	4291+4215(60) SB+5091(60)	4291+4215(70) SB+5091(70)	4291+4215(60) 5A+5091(60)	4291+4215(70) 5A+5091(70)	4291+4215(60)	4291+4215(70)	4680+4624A(60)
Drawing									
NO.	**WD-304-09**	**WD-304-10**	**WD-304-11**	**WD-304-12**	**WD-304-13**	**WD-304-14**	**WD-304-15**	**WD-304-16**	**WD-304-17**
Used for	4680+4624A(70)	4680+4624A(60) 5A+5091(60)	4680+4624A(70) 5A+5091(70)	4638+4642 +4644	4351(60/70)	4352(60/70)	4350(60/70)	AD-10-135-(70)	4290+4215-(60)
Drawing									
NO.	**WD-304-18**	**WD-304-19**	**WD-304-20**	**WD-304-21**	**WD-304-22**	**WD-304-23**	**WD-304-24**	**WD-304-25**	**WD-304-26**
Used for	4293+4215-(70)	4680+4624A(60) SB-Cover+ 5091(60)	4680+4624A(70) SB-Cover+ 5091(70)	LC+5091(60) 429X+4215(60)	LC+5091(70) 429X+4215(70)	AD-10-135-(60)	KL700/LC100 Dummy+ 4624A(60)	KL700/LC100 Dummy+ 4624A(70)	4217S/4217W(70)
Drawing									
NO.	**WD-304-27**	**WD-304-32**	**WD-304-33**	**WD-304-34**	**WD-304-35**	**WD-306-01**	**WD-306-02**	**WD-306-05**	**WD-306-06**
Used for	4210(70)	4213C-N	4214-N	4218C-N	4219-N	4220-05/65/ Dummy	4221-05/65/ Dummy	4220-05&4221-05	4222/4222T

SUS Finishes List

ARGO	Description	ARGO	Description
	**F24** Satin stainless steel		**F25** Polished stainless steel

APC Finishes List

ARGO	Description	ARGO	Description
	**F91** Matt black powder coating		**F91T** Matt black powder coating with rough surface
	**F93** Matt white powder coating		**F93T** Matt white powder coating with rough surface
	**F94T** Matt light grey powder coating with rough surface		**F96T** Matt dark grey powder coating with rough surface
	**F97** Matt brown powder coating		**F97T** Matt brown powder coating with rough surface
	**F99** Matt champagne silver powder coating		**F100** Matt silver grey powder coating

ARGO	Description	ARGO	Description
	**F100T** Matt silver grey powder coating with rough surface		**F101** Matt champagne gold powder coating
	**F102** Matt antique brass gold powder coating		**F102T** Matt antique brass gold powder coating with rough surface
	**F104T** Matt light green powder coating with rough surface		**F105T** Matt dark green powder coating with rough surface
	**F106T** Matt light blue powder coating with rough surface		**F107T** Matt dark blue powder coating with rough surface
	**F108T** Matt rose gold powder coating with rough surface		

PVD Finishes List

ARGO	Description	ARGO	Description
	**F16** Polished brass		**F17** Brushed brass
	**F301** Polished bronze		**F302** Brushed bronze
	**F303** Brushed chrome		**F304** Red gold
	**F305** Brushed red gold		**F306** Polished black chrome
	**F307** Brushed black chrome		**F308** Steel optic
	**F310** Polished nickel		**F311** Gold optic
	**F316** Brushed nickel		



www.argo-hardware.com

AG-004-2601